

# FITTING INSTRUCTIONS FOR LP0021BK TAIL TIDY (LICENCE PLATE HOLDER)

# Kawasaki ER-6 up to 2008

### Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike

- NOTE YOU WILL NEED TO GLUE THE LIGHT SHROUD TO THE LED LICENCE PLATE LIGHT BEFORE FITTING USING SUPER GLUE.
- Remove seat
- Undo wiring loom to number plate light & flashers
- Undo the 4 nuts holding the tail unit to the bike & remove tail unit
- Take the R&G licence plate holder & fit to the bike using the 2 rubber spacers and the 4 nylon nuts supplied & tighten
- Fit the led number plate light and the indicators of your choice. If you use after market indicators use the blanking plates supplied.
- Reconnect wiring
- Note we suggest that you cut the plug from your original number plate light and connect it to the LED light supplied using the two splice connectors in the kit.

If you plan to fit mini indicators to the rear of the bike only (not the front), you will need to source and fit your own resistor, in order to reduce the wattage.

### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes.

Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products.

On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect.

Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned.

These terms do not affect the Buyer's statutory rights.

# **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorised (if not pre-authorised the return will be rejected)

Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor.

Goods must be in re-sellable condition, in the opinion of R&G Racing.

All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase).

The customer must pay any and all carriage charges.

No returns of discontinued products, unless within 14 days of purchase.

This policy does not affect your statutory rights and does not refer to faulty goods.



# Notice de montage

**LP0021BK** SUPPORT DE PLAQUE KAWASAKI ER6 N-S <= 2008



# Conseil de montage:

Enlever la selle.

Défaire le faisceau de la lumière de plaque

Demonter les 4 vis tenant le support de plaque et enlever le support d'origine Positionner ensuite le support de plaque R&G sur la moto, en utilisant les deux pièces en caoutchouc, les 4 vis M6x30 et les écrous autobloquants livrés dans le kit

Mettre les clignotants de votre choix sur le support de plaque, si vous utilisez des clignotants adaptables, vous devrez mettre deux pièces en alu de chaque côté sur les emplacements des clignotants d'origine.

Reconnecter les faisceaux électriques

Nous vous suggérons de couper la prise de la lumière de plaque d'origine et de connecter la lumière R&G à l'aide des deux connecteurs rouges livrés dans le kit.



# MONTAGEANLEITUNG FÜR LP0021BK KENNZEICHENHALTER

#### Kawasaki ER-6 bis 2008

#### Die Verpackung der Teile stellt nicht die Reihenfolge der Montage dar.

- HINWEIS: VOR DER MONTAGE MUSS DIE LICHTABDECKUNG MIT SEKUNDENKLEBER AN DER LED-KENNZEICHENBELEUCHTUNG ANGEKLEBT WERDEN
- Entfernen Sie den Sitz.
- Lösen Sie die Kabel zur Kennzeichenbeleuchtung und zu den Blinkern.
- Lösen Sie die 4 Mutter, die den Kennzeichenhalter am Motorrad befestigen und entfernen Sie den Kennzeichenhalter.
- Montieren Sie den R&G Kennzeichenhalter am Motorrad verwenden Sie die 2 Gummi-Distanzhalter und die 4 selbstsichernden Mutter vom Kit.
- Montieren Sie die LED-Kennzeichenbeleuchtung und die Blinker Ihrer Wahl. Wenn Sie Zubehör-Blinker montieren, benutzen Sie die mitgelieferten Verschlusstreifen.
- Verbinden Sie die Kabel wieder.
- Hinweis: Wir empfehlen, den Steckverbinder von der Originalkennzeichenbeleuchtung abzutrennen und mittels der mitgelieferten Kabelverbinder mit der LED-Beleuchtung zu verbinden.

Wenn Sie Mini-Blinker hinten (auf keinen Fall vorne) montieren möchten, werden Sie einen Widerstand brauchen (nicht in Lieferumfang enthalten), um die Wattleistung zu reduzieren.

### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes.

Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products.

On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect.

Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned.

These terms do not affect the Buyer's statutory rights.

### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorised (if not pre-authorised the return will be rejected)

Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor.

Goods must be in re-sellable condition, in the opinion of R&G Racing.

All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase).

The customer must pay any and all carriage charges.

No returns of discontinued products, unless within 14 days of purchase.

This policy does not affect your statutory rights and does not refer to faulty goods.