



**Fitting Instructions for RAD0157BK Radiator Guard**  
**HONDA NT700V '06 – '10**



**In This Kit There Should Be**

- 1x Radiator Guard (RAD0157BK)
- 4x Cable Ties
- 2x 100mm Lengths of self-adhesive Foam



Picture 1




Picture 2




Picture 3




Picture 4



Picture 5



Picture 6



Picture 7

### **TOOLS REQUIRED**

- Socket set to include 4mm A/F socket & wrench.
  - Cable cutters

R&G Racing  
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ  
Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



## **FITTING INSTRUCTIONS**

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the bolt that secures the bottom of the plastic radiator surround in place and the two push rivets on either side, as shown in picture 1.
- The plastic radiator surround can now be removed, as shown in picture 2.
- Feed one cable tie through the two bottom corners of the radiator matrix, as shown in picture 3.
- Feed one cable tie around the top radiator mount bracket on each side of the radiator, as shown in picture 4. *Please note, this is a bit a tricky, and can be made easier by forming a few folds in the cable tie before looping it around, making it easier for the cable tie to return back on itself.*
- Offer the R&G Radiator Guard into place on the bike, the cable ties should now be in a position to feed through the mounting holes in the radiator guard and can be connected, as shown in pictures 5 & 6. When all cable ties are located and the radiator guard is correctly mounted, tighten all four cable ties.
- Re-fit the plastic radiator surround to the bottom, ensuring to re-fit the two push rivets and tighten the bolt.
- Ensure the radiator guard is correctly mounted and tighten all bolts evenly.

ISSUE 1 06/09/2013 (AR)

### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



**INSTRUCTIONS DE MONTAGE POUR RAD0157BK Grille de protection**  
**HONDA NT700V '06 – '10**



**Le kit doit contenir :**

1x Grille de protection (RAD0157BK)

4x Cable Ties

2x 100mm Mousse autocollante




Photo 1



Photo 2



Photo 3



Photo 4




Photo 5




Photo 6




Photo7

#### **OUTILS REQUIS**

- Jeu de clés 4mm
- Pince coupe câble

R&G Racing  
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ  
Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



### **Instructions de montage:**

- Couper la mousse en bandeaux de 10mm puis collez ces bandeaux au bas du support de protection radiateur, de façon à ce que ces bandeaux se situent entre la protection radiateur et le radiateur.
- Enlever le boulon qui fixe le bas du contour radiateur en plastic en place et les 2 rivets de chaque coté (Photo 1).
- Le contour radiateur en plastic peut à présent être enlevé (Photo 2).
- Passer un collier de serrage dans les 2 coins inférieurs de la matrice de radiateur (Photo 3).
- Passer un collier de serrage autour du support de fixation radiateur supérieur de chaque coté du radiateur (Photo 4). *NOTE, c'est un peu délicat, et peut être fait plus facilement, en formant quelques plis dans le collier de serrage, avant de l'enrouler, rendant plus facile pour le collier son retour sur lui même.*
- Mettre la grille de protection en place sur la moto, les colliers de serrage doivent à présent être positionnés, pour passer à travers les trous de fixation dans la grille de protection et peuvent être connectés (Photos 5&6). Lorsque tous les colliers sont placés et que la protection radiateur est correctement montée, serrer les 4 colliers.
- Remettre le contour de radiateur en plastic au bas, en veillant à bien remettre les 2 rivets puis serrer le boulon.
- Veiller à ce que le radiateur soit correctement monté puis serrer tous les boulons de façon égale.

ISSUE 1 06/09/2013 (AR)

### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)